

BERECO TRADITIONAL CASEMENT WINDOW ORDER FORM

Customer Details:

Delivery Address:

Reference:



General Product Specification Options (Please Tick All Sections)

Energy Rating

Standard Rating **Low-E glass and any unit spacer combination.**

"A" Rating **Diamant glass and warm edge unit spacers only.**

"B" Rating **Low-E glass and warm edge spacers only.**

ENQUIRY	<input type="checkbox"/>	ORDER	<input type="checkbox"/>
----------------	--------------------------	--------------	--------------------------

Timber Type

Redwood

Hardwood

Oak

Profile

Traditional Flush

Traditional Lipped

Coupling

Not Required

Required - Facings fitted

Required - Facings sent loose

Bar Type

None

16mm Lambs Tongue Stick on

25mm Stick On

35mm Stick On

48mm Solid

Weather Strip Colour

White

Brown

Black

Cill Options - Flush Casement

No Sub Cill + Cill Ext (please indicate below)

Cill Ext in mm - None / 25 / 47 / 62 / 87 / 100 / 114 / 125 / 140

1 Piece Subcill - 112mm Overall

1 Piece Subcill - 134mm Overall

1 Piece Subcill - 149mm Overall (Standard)

Sub Cill + 87mm Ext - 174mm Overall

Sub Cill + 114mm Ext - 201mm Overall

Sub Cill + 125mm Ext - 212mm Overall

Sub Cill + 140mm Ext - 227mm Overall

Cill Horns.....mm

Cill Options - Lipped Casement

No Sub Cill + Cill Ext (please indicate below)

Cill Ext in mm - None / 25 / 47 / 62 / 87 / 100 / 114 / 125 / 140

1 Piece Subcill - 93mm Overall

1 Piece Subcill - 115mm Overall

1 Piece Subcill - 130mm Overall

Sub Cill + 87mm Ext - 155mm Overall (Standard)

Sub Cill + 114mm Ext - 182mm Overall

Sub Cill + 125mm Ext - 193mm Overall

Cill Horns.....mm

Paint / Stain Finish

Fully Finished

RAL/Stain

Dual Colour

RAL/Stain

Silicon Colour

White

Dark Brown

Rosewood

Transparent

Unit Spacer Colour

Silver (Standard)

White (Warm Edge)

Brown (Warm Edge)

Black (Warm Edge)

Grey (Warm Edge)

Vented

Yes

No

Hinge Options - Flush Casement

GU 90 Degree incl Dummy Butt

Hinge, Concealed Restrictor & Nightvent (Standard)

Hinge Options - Lipped Casement

Egress (Standard)

Easy Clean

Auto-Latch Restrictor

Vent Colour (if applicable)

White

Brown

Other

Flying Mullion

Timber Panels

Head Drips Required

Packers Required

Internal Window Board Groove Required

Corner Posts

Redwood

Hardwood

Oak

Ironmongery Finish	Lipped & Flush Locking				Flush Only Dummy Hinge
	Locking	Non-Locking	Stays		
Black	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
White	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	n/a
Brass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chrome	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Satin Chrome	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black - Basket	n/a	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a
Black - Scroll	n/a	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a
Monkey Tail	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	n/a

Window Identification				Manufacturing Sizes		Height Divide	Width Divide	Glazing Pattern	Low-E Glass Type			Other Glass	Bar Pattern				Other	Price
Sketch / Diagram Viewed From Outside	Window Ref & / or Location	Qty	As or Opp	Overall Width in mm	Overall Height in mm	Transom Drop C/L	Jamb Left to Mullion Centre 1 & 2	Obscure / Square Lead / Diamond Lead / Stained / Bevelled / Anti-Sun	Standard	Safety	Security	Additional Glass Options	Aperture 1	Aperture 2	Aperture 3	Aperture 4	Curved Plates or Fixed Sashes or Angled Head or Curved Head	£
1	2	3	4	5	6	7	8	9	10			11-14				15	16	
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom	1st Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Per Frame
			As <input type="checkbox"/> Opp <input type="checkbox"/>			2nd Transom	2nd Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom	1st Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Per Frame
			As <input type="checkbox"/> Opp <input type="checkbox"/>			2nd Transom	2nd Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom	1st Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Per Frame
			As <input type="checkbox"/> Opp <input type="checkbox"/>			2nd Transom	2nd Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom	1st Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Per Frame
			As <input type="checkbox"/> Opp <input type="checkbox"/>			2nd Transom	2nd Mullion		Standard <input type="checkbox"/>	Safety <input type="checkbox"/>	Security <input type="checkbox"/>	Acoustic <input type="checkbox"/>	Across	Across	Across	Across	Curved Plate <input type="checkbox"/>	Total

Special Remarks / Comments

Total

VAT

Total incl VAT

BERECO TRADITIONAL SLIDING SASH WINDOW ORDER FORM

Customer Details:

Delivery Address:

Reference:



From:

General Product Specification Options (Please Tick All Sections)

Energy Rating
 Standard Rating **Low-E glass and any unit spacer combination.**
 "A" Rating **Diamant glass and warm edge unit spacers only.**
 "B" Rating **Low-E glass and warm edge spacers only.**

ENQUIRY **ORDER**

Timber Type
 Redwood
 Hardwood
 Oak

Vented
 Yes
 No

Paint / Stain Finish
Fully Finished
 RAL/Stain

Sliding Sash Type
 Spiral Balance (White Balances)
 Spiral Balance (Cream Balances)
 Spiral Balance (Brown Balances)
 Spiral Balance (Black Balances)
 Cords & Weights

Silicon Colour
 White
 Dark Brown
 Rosewood
 Transparent

Profile
 Traditional

Vent Colour (if applicable)
 White
 Brown

Dual Colour
 RAL/Stain

Other
 Simplex Easy Clean (C&W Only)
 "D" Handles
 Ring Pulls

Coupling
 Not Required
 Required - Facings fitted
 Required - Facings sent loose

Cill Extension - 28mm deep
 None (Standard)
 25mm (Stub)
 47mm
 62mm
 87mm
 100mm
 114mm
 125mm
 140mm
 Cill Horns.....mm

Corner Posts
 Redwood
 Hardwood
 Oak

Ironmongery	Locking	Non-Locking	Angel Lock or	Vent Lock
Antique Black	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a
Brass Fitch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chrome Fitch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Satin Chrome Fitch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brass Beehive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chrome Beehive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Satin Chrome Beehive	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brass Acorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chrome Acorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Satin Chrome Acorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bar Type
 None
 16mm Lambs Tongue Stick on
 25mm Stick On
 35mm Stick On
 48mm Solid

Weather Strip Colour
 White
 Brown
 Black

Unit Spacer Colour
 Silver (Standard)
 White (Warm Edge)
 Brown (Warm Edge)
 Black (Warm Edge)
 Grey (Warm Edge)

Sash Divide
 50 / 50
 33 / 67
 40 / 60

Decorative Horns
 Top Sash Only
 Top & Bottom Sash
 None

Window Identification			Manufacturing Sizes		Height Divide	Width Divide	Glazing Pattern	Low-E Glass Type		Other Glass	Bar Pattern				Other	Price
Sketch / Diagram Viewed From Outside	Window Ref & / or Location	Qty	As or Opp	Overall Width in mm	Overall Height in mm	Transom Drop C/L	Jamb Left to Mullion Centre 1 & 2	Obscure / Square Diamond Lead / Bevelled / Anti-Sun	Standard	Additional Glass Options	Aperture 1	Aperture 2	Aperture 3	Aperture 4	Curved Plates or Fixed Sashes or Angled Head or Curved Head	£
1	2	3	4	5	6	7	8	9	10		11	12	13	14	15	16
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total
			As			1st Transom	1st Mullion		Standard	Acoustic	Across	Across	Across	Across	Curved Plate	Per Frame
			Opp			2nd Transom	2nd Mullion		Safety	Db Rating on request	Down	Down	Down	Down	Fixed Sashes	Total

Special Remarks / Comments: _____

Total

VAT

Total incl VAT

BERECO TRADITIONAL FRENCH & ENTRANCE DOOR ORDER FORM

Customer Details:

Delivery Address:

Reference:



General Product Specification Options (Please Tick All Sections)

Energy Rating
 Standard Rating **Low-E glass and any unit spacer combination.**
 "A" Rating **Diamant glass and warm edge unit spacers only.**
 "B" Rating **Low-E glass and warm edge spacers only.**

ENQUIRY **ORDER**

Timber Type
 Redwood
 Hardwood
 Oak

Profile
Entrance & Single Leaf Doors
 Traditional Lipped (68mm Section)
 Traditional Flush (92mm Section)
French & Double Leaf Doors
 Traditional Lipped (80mm Frame)
 Traditional Lipped (100mm Frame)
 Traditional Lipped (100mm Frame & Head)
Coupling
 Not Required
 Required - Facings fitted
 Required - Facings sent loose
Bar Type
 None
 16mm Lambs Tongue Stick on
 25mm Stick On
 35mm Stick On
 48mm Solid

Vented
 Yes
 No

Vent Colour (if applicable)
 White
 Brown

Cill Extension - 32mm deep
 None
 25mm (Stub)
 47mm
 62mm
 87mm
 100mm
 114mm
 125mm
 140mm
 Cill Horns.....mm

Unit Spacer Colour
 Silver (Standard)
 White (Warm Edge)
 Brown (Warm Edge)
 Black (Warm Edge)
 Grey (Warm Edge)

Paint / Stain Finish - Door Leaf
Fully Finished
 RAL/Stain

Dual Colour
 RAL/Stain

Paint / Stain Finish - Door Frame
Fully Finished
 RAL/Stain

Dual Colour
 RAL/Stain

Silicon Colour
 White
 Dark Brown
 Transparent

Corner Posts
 Redwood
 Hardwood
 Oak

Weatherstrip Colour
 White
 Brown
 Black

Thresh Options & Opening Direction
 Open In - Standard Thresh - 140 x 43
 Open In - Mobility - Aluminium
 Open In - Combi Flush - 92 x 40 (+ Cill Ext)
 Open In - Combi Lipped - 86 x 40 (+ Cill Ext)
 Open Out - Standard Thresh - 140 x 43
 Open Out - Mobility - Aluminium
 Open Out - Combi Flush - 92 x 40 (+ Cill Ext)
 Open Out - Combi Lipped - 68 x 40 (+ Cill Ext)

Locking Options (Espag as Standard)
 Opt: 1 - Handle + Straight Through Spindle
 Opt: 2 - Handle + Split Spindle
 Opt: 3 - Escutcheon Pull + Thumbturn
 N/B - Single Handle to Single Doors - Double Handles to Double Leaves

Ironmongery Finishes	Opt: 1 & 2 Handle	Opt: 3 Escutcheon Pull	Thumb Turn	Optional Door Extra's Letter Plate	Door Knocker	Door Knob	Door Chain
Black	<input type="checkbox"/>	<input type="checkbox"/>	n/a	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a
White	<input type="checkbox"/>	<input type="checkbox"/>	n/a	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a
Brass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chrome	<input type="checkbox"/>	<input type="checkbox"/>	n/a	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Satin Chrome	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black - Basket	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a	n/a	n/a	n/a
Black - Scroll	<input type="checkbox"/>	<input type="checkbox"/>	n/a	n/a	n/a	n/a	n/a
Antique Black	<input type="checkbox"/>	<input type="checkbox"/>	n/a	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Window Identification				Manufacturing Sizes		Height Divide	Width Divide	Glazing Pattern	Low-E Glass Type			Other Glass	Bar Pattern				Other	Price					
Sketch / Diagram Viewed From Outside	Window Ref & / or Location	Qty	As or Opp	Overall Width in mm	Overall Height in mm	Transom Drop C/L	Jamb Left to Mullion Centre 1 & 2	Obscure / Square Diamond Lead / Bevelled / Anti-Sun Clear if Blank	Standard	4 / 16 / 4	Safety	6.5 / 14 / 4	Security	4 / 14 / 6.5	Safety & Security	6.5 / 12 / 6.5	Additional Glass Options	Aperture 1	Aperture 2	Aperture 3	Aperture 4	Curved Plates or Fixed Sashes or Angled Head or Curved Head	£
1	2	3	4	5	6	7	8	9	10			11				12	13	14	15		16		
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom 2nd Transom	1st Mullion 2nd Mullion							Safety & security <input checked="" type="checkbox"/>	Top <input checked="" type="checkbox"/>	Btm <input type="checkbox"/>	Acoustic <input type="checkbox"/> Db Rating on request Self Cleaning (Clear Only) <input type="checkbox"/>	Across Down	Across Down	Across Down	Across Down	Curved Plate <input type="checkbox"/> Fixed Sashes <input type="checkbox"/> Angled Head <input type="checkbox"/> Curved Head <input type="checkbox"/>	Per Frame Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom 2nd Transom	1st Mullion 2nd Mullion							Safety & security <input checked="" type="checkbox"/>	Top <input checked="" type="checkbox"/>	Btm <input type="checkbox"/>	Acoustic <input type="checkbox"/> Db Rating on request Self Cleaning (Clear Only) <input type="checkbox"/>	Across Down	Across Down	Across Down	Across Down	Curved Plate <input type="checkbox"/> Fixed Sashes <input type="checkbox"/> Angled Head <input type="checkbox"/> Curved Head <input type="checkbox"/>	Per Frame Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom 2nd Transom	1st Mullion 2nd Mullion							Safety & security <input checked="" type="checkbox"/>	Top <input checked="" type="checkbox"/>	Btm <input type="checkbox"/>	Acoustic <input type="checkbox"/> Db Rating on request Self Cleaning (Clear Only) <input type="checkbox"/>	Across Down	Across Down	Across Down	Across Down	Curved Plate <input type="checkbox"/> Fixed Sashes <input type="checkbox"/> Angled Head <input type="checkbox"/> Curved Head <input type="checkbox"/>	Per Frame Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom 2nd Transom	1st Mullion 2nd Mullion							Safety & security <input checked="" type="checkbox"/>	Top <input checked="" type="checkbox"/>	Btm <input type="checkbox"/>	Acoustic <input type="checkbox"/> Db Rating on request Self Cleaning (Clear Only) <input type="checkbox"/>	Across Down	Across Down	Across Down	Across Down	Curved Plate <input type="checkbox"/> Fixed Sashes <input type="checkbox"/> Angled Head <input type="checkbox"/> Curved Head <input type="checkbox"/>	Per Frame Total
			As <input type="checkbox"/> Opp <input type="checkbox"/>			1st Transom 2nd Transom	1st Mullion 2nd Mullion							Safety & security <input checked="" type="checkbox"/>	Top <input checked="" type="checkbox"/>	Btm <input type="checkbox"/>	Acoustic <input type="checkbox"/> Db Rating on request Self Cleaning (Clear Only) <input type="checkbox"/>	Across Down	Across Down	Across Down	Across Down	Curved Plate <input type="checkbox"/> Fixed Sashes <input type="checkbox"/> Angled Head <input type="checkbox"/> Curved Head <input type="checkbox"/>	Per Frame Total

Special Remarks / Comments: _____

Total
VAT
Total incl VAT

BERECO TRADITIONAL ANCILLARY ITEMS ORDER FORM








Customer Details:

 From: _____

Delivery Address:

Reference:



Type	Size			QTY	Timber Type	Finish Paint or Stain	Price per Meter £	Total £	Type	Size			QTY	Timber Type	Finish Paint or Stain	Price per Meter £	Total £			
	Thickness MM	Width MM	Length MM							Thickness MM	Width MM	Length MM								
	18	50			Softwood FJ		£5.00			8	30			Softwood FJ		£4.40				
	18	50			Softwood Clear		£5.60			8	30			Softwood Clear		£5.00				
	18	50			Hardwood (DRM)		£8.00			8	30			Hardwood (DRM)		£7.60				
	18	50			Oak		£8.00			8	30			Oak		£7.60				
	18	75			Softwood FJ		£6.60			8	75			Softwood FJ		£5.80				
	18	75			Softwood Clear		£7.60			8	75			Softwood Clear		£6.40				
	18	75			Hardwood (DRM)		£11.00			8	75			Hardwood (DRM)		£10.00				
	18	75			Oak		£11.00			8	75			Oak		£10.00				
	18	100			Softwood FJ		£8.80			8	100			Softwood FJ		£7.20				
	18	100			Softwood Clear		£10.00			8	100			Softwood Clear		£8.00				
	18	100			Hardwood (DRM)		£13.80			8	100			Hardwood (DRM)		£12.60				
	18	100			Oak		£13.80			8	100			Oak		£12.60				
		18	50			Softwood FJ		£5.00				10	25			Softwood FJ		£2.80		
18		50			Softwood Clear		£5.60		10	25				Softwood Clear		£3.00				
18		50			Hardwood (DRM)		£8.00		10	25				Hardwood (DRM)		£4.00				
18		50			Oak		£8.00		10	25				Oak		£4.00				
18		75			Softwood FJ		£6.60													
18		75			Softwood Clear		£7.60			20	20			Softwood FJ		£2.80				
18		75			Hardwood (DRM)		£11.00			20	20			Softwood Clear		£3.00				
18		75			Oak		£11.00			20	20			Hardwood (DRM)		£4.00				
18		100			Softwood FJ		£8.80			20	20			Oak		£4.00				
18		100			Softwood Clear		£10.00													
18		100			Hardwood (DRM)		£13.80													
18		100			Oak		£13.80													
	12	60			Softwood FJ		£5.00			25	175			Softwood FJ		£22.00				
	12	60			Softwood Clear		£5.80			25	175			Softwood Clear		£26.00				
	12	60			Hardwood (DRM)		£9.20			25	175			Hardwood (DRM)		£30.00				
	12	60			Oak		£9.20			25	175			Oak		£30.00				
	12	100			Softwood FJ		£7.80			25	225			Softwood FJ		£26.00				
	12	100			Softwood Clear		£9.00			25	225			Softwood Clear		£30.00				
	12	100			Hardwood (DRM)		£12.40			25	225			Hardwood (DRM)		£44.00				
	12	100			Oak		£12.40			25	225			Oak		£44.00				
	12	150			Softwood FJ		£12.00			25	300			Softwood FJ		£34.00				
	12	150			Softwood Clear		£14.00			25	300			Softwood Clear		£40.00				
	12	150			Hardwood (DRM)		£18.40			25	300			Hardwood (DRM)		£58.00				
	12	150			Oak		£18.40			25	300			Oak		£58.00				
	12	200			Softwood FJ		£15.60													
	12	200			Softwood Clear		£17.60													
	12	200			Hardwood (DRM)		£23.20													
	12	200			Oak		£23.20													
	12	250			Softwood FJ		£19.20													
	12	250			Softwood Clear		£21.80													
12	250			Hardwood (DRM)		£29.00														
12	250			Oak		£29.00														
										Fixing Packs			N/A	N/A	N/A		N/A		£10.00	

Special Remarks / Comments

															Total			
															VAT			
															Total incl VAT			