

TRADITIONAL aluminium

Externally-beaded Casement Windows
with deep-rebated sashes



Squared
AW624 Sash

Sculptured
AW613 Sash

Chamfered
AW610 Sash

The logo for Platinum NRG. The word 'Platinum' is in a white, italicized serif font with a registered trademark symbol. A small green leaf icon is positioned above the 'i' in 'Platinum'. Below 'Platinum', the letters 'NRG' are written in a large, bold, yellow sans-serif font.

www.platinumnrg.co.uk

Sight-line dimension refers to the overall width of the sash and frame

HARDWARE OPTIONS

A select range of hardware finishes are available to suit contemporary or traditional installations.



WHITE

BLACK

BRIGHT CHROME

GOLD

ANTIQUE BLACK

GRAPHITE

BRIGHT BRONZE

ANTHRACITE

STANDARD FINISHES



Pure White
RAL 9010
GLOSS

Jet Black
RAL 9005
MATT

Anthracite Grey
RAL 7016
MATT


Chocolate Brown
RAL 8017
MATT



OPTIONAL FINISHES

A wide range of RAL colours and finishes are available to complement any style or period of home

ADDITIONAL HARDWARE OPTIONS




CONTEMPORARY
Monkey-tail
Handle

CONTEMPORARY
Tear-drop
Handle

TRADITIONAL
Tear-drop
Handle

TRADITIONAL
Monkey-tail
Handle

CONTEMPORARY FINISHES



GRAPHITE


GOLD

ANTIQUE BLACK

BRIGHT CHROME

** Due to different suppliers, hardware names for the contemporary finishes **DO NOT** correspond with the names of the traditional finishes

TRADITIONAL FINISHES



BLACK

SATIN CHROME

ELECTRO GOLD

GRAPHITE

WHITE


POLISHED CHROME

ANTIQUE BRONZE

BRONZE RED TINT

PEWTER PATINA

TRADITIONAL aluminium



Mitred, mechanically-jointed frame and deep-rebate sash

Heavy-duty easy-clean/ fire escape friction stays for side-hung windows.
Heavy-duty friction stays for top-hung windows.


High security, multi-point locking system comprising of roller-cam bolts, twin shoot-bolts and optional hinge bolts

Contemporary or Traditional handles available in a choice of finishes


A choice of either black, white or grey, warm edge spacer bar

Externally-glazed


Double-glazed unit uses clear SGG Planitherm TOTAL+ energy glass, to achieve maximum amounts of incoming light, and up to a WER B Energy Rating



viewed **externally**
AW613 SASH with
AW513 BEAD




viewed **internally**
AW613 SASH with
AW513 BEAD
AW602 OVOLO FRAME



viewed **internally**
AW613 SASH with
AW513 BEAD
AW622 SQUARE FRAME


STANDARD EASY-CLEAN HINGES



The Easy-Clean hinges enable the sash to be opened at 90 degrees



By pressing down on the purple button, the sash is released and can slide along its hinge runner



This now gives access to the front of the sash from indoors for cleaning.



CHOICE OF OUTER FRAMES

Choice of a featured, deep-rebate 70mm outer frame or our standard 58mm outer frame.

GLOSS OR MATT FINISH

Gloss finish reduces cleaning and maintenance and retains a cleaner look for longer, helping resist airborne pollutants and moulds. The matt finish creates a flatter, more contemporary appearance.

CHOICE OF FINISHES

A selection of standard colours or a wide range of RAL colours are available.

ENERGY EFFICIENCY

Unique nylon polyamide thermal break design helps improve thermal performance by separating the inner and outer frame and sash.

AW602 FEATURED FRAME

The AW602 frame is 70mm deep and features an elegant sculptured bead around the internal frame. Shown fitted with the AW613 sash which uses a sculptured bead around the exterior sash