



EC DECLARATION OF PERFORMANCE

(System 3)

Issue No: AK-BWC-001

Whiteline Manufacturing Ltd

26-36 Hawthorn Road

Eastbourne

East Sussex BN23 6QA

This document declares that the product:

Aluk - 58BW Casement Windows

**For domestic and commercial buildings – non-escape routes
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA**

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness	NPD	BS EN 1027	¹ Exova (UKAS 0621) Autolatch Report: WIL 327795 BSI: Restrictor Stay Report: WIL 327795 ² Irccos S.r.l 1994-CPR-RP1550
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load	NPD	BS EN 12211	
Load-bearing capacity of ¹ safety devices	350N	BS EN 14609	
Acoustic performance	NPD	BS EN ISO 140-3	
Thermal transmittance ²	1.6 W/m ² .k	EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	EN 410	
Air permeability	NPD	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Ken Gray – Managing Director

Date of Issue: 14 March 2022