



## BS DECLARATION OF CONFORMITY

(System 3)

Issue No: NRG-CW-002

**Whiteline Manufacturing Ltd**  
26-36 Hawthorn Road  
Eastbourne  
East Sussex BN23 6QA

This document declares that the product:

**Liniar – Platinum NRG Casement Windows**

**For domestic and commercial buildings – non-escape routes  
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA**

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness <sup>1</sup>	600Pa Class 9A	BS EN 1027	<sup>1</sup> Chiltern Dynamics (UKAS 1762) Report: Chilt/P10062/A Chiltern Dynamics (UKAS 1762) Report: Chilt/P10062/B Exova (UKAS 0621) Report: 306506
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load <sup>1</sup>	1200Pa Class A3	BS EN 12211	
Load-bearing capacity of <sup>4</sup> safety devices	350N	BS EN 14609	<sup>2</sup> Chiltern Dynamics (UKAS 1762) Report: Chilt/MTZF13021
Acoustic performance <sup>2</sup>	36 db	BS EN ISO 140-3 BS EN 10140-2	
Thermal transmittance <sup>3</sup>	1.6 W/m <sup>2</sup> .k	BS EN ISO 10077-1 BS EN ISO 10077-2 BS EN ISO 12567-1 prEN 12567-2	<sup>4</sup> Exova (UKAS 0621) Autolatch Report: WIL 327294 BSI: Restrictor Stay Report: 2370/7492989
Radiation properties	NPD	BS EN 410	
Air permeability <sup>1</sup>	600Pa Class 4	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Ken Gray - Director

Date of Issue: 17 May 2022